


THERMAL PERFORMANCE OF
DIFFERENT WALL CONSTRUCTIONS
AND THE RESULTING INDOOR
COMFORT CONDITIONS.

مكتبة
المسكنة
١٣٥٤



المركز القومي لبحوث الإسكان والبناء
Housing & Building National Research Center
Since 1954

1D.
28 B 49
↓
D.
1 D 12

Dr. ALI SALEH
Architect
Associate Research Professor
Building Research Centre, Cairo.
1966

THERMAL PERFORMANCE OF
DIFFERENT WALL CONSTRUCTIONS
AND THE RESULTING INDOOR
COMFORT CONDITIONS.

٥ - ديسمبر ١٩٦٧

مكتبة
مركز البحوث القومية
للإسكان والبناء
١٢٥٤

HBRC

المركز القومي لبحوث الإسكان والبناء
Housing & Building National Research Center

Since 1954

Dr. ALI SALEH
Architect

Associate Research Professor
Building Research Centre, Cairo.

- A. Index of contents.
- B. Index of tables and diagrams.
- C. References.

A. Contents.

1. Introduction.
2. Boundary conditions and heat balance equations :
 - 2-1. at the weather-side surface of the wall.
 - 2-2. within the wall thickness.
 - 2-3. at the room-side surface of the wall.
 - 2-4. indoor air temperature variations.
3. Temperature fluctuations during a complete daily cycle.
4. Temperature curves.
5. Temperature ranges during a complete daily cycle.
6. Time-lags.
7. Effect of applying different wall construction on cutting excessive heat gain by solar radiation.
8. Periods during which a feeling of comfort occurs.
9. Conclusion.

B. Tables and Diagrams.

- Figure 1. Dividing the wall thickness into 3 Segments and the daily cycle into 48 time-intervals.
- Table 1. Thermal behaviour of a southern, 0.8-foot thick, brick wall subjected to normal weather conditions in Cairo, when the indoor air is mechanically kept at a constant temperature.
- Table 2. Thermal behaviour of a southern, 0.8-foot thick, brick wall subjected to direct solar radiation.
- Table 3. Thermal behaviour of a southern, 0.8-foot thick brick wall, excluding the effect of solar radiation.

- Diagram 1. Periodic temperature fluctuations at both surface and inside segments of a southern, 0.8-foot thick brick wall, subjected to normal weather conditions in Cairo, when the indoor air is mechanically kept at a constant temperature.
- Diagram 2. Periodic temperature fluctuations, when the exterior wall is protected from the direct rays of the sun by shading walls.
- Diagram 3. Periodic temperature fluctuations, when the exterior wall is subjected to direct solar radiation.
- Diagram 4. Periodic temperature fluctuations, excluding the effect of the direct solar radiation.
- Diagram 5. Periodic temperature fluctuations at the weather-side surfaces of different wall constructions.
- Diagram 6. Periodic temperature fluctuations at a depth equals to one-third of the wall thickness for different wall constructions.
- Diagram 7. Periodic temperature fluctuations at a depth equals to two-thirds of the wall thickness for different wall constructions.
- Diagram 8. Periodic temperature fluctuations at the room-side surface of different wall constructions.
- Diagram 9. Indoor temperature fluctuations for different wall constructions.
- Table 4. Temperature ranges.
- Table 5. Time-lags.
- Table 6. Effect of varying different wall constructions on cutting the heat gain by solar radiation.
- Table 7. Periods during which feeling of comfort occurs.