


Sci. Bull. Fac. Eng. Ain Shams Univ.
ISSN 1110 - 1385



AIN SHAMS UNIVERSITY
FACULTY OF ENGINEERING



SCIENTIFIC BULLETIN

Since 1954

Vol. 32, No. 1, March. 31, 1997

Part II : *Electrical and Mechanical Engineering,
Physics and Mathematics*

٢٧٤



Sci Bull Fac. Eng. Ain Shams Univ.
ISSN 1110-1385

٢٧



AIN SHAMS UNIVERSITY

Scientific Bulletin
of
The Faculty of Engineering



تم التوثيق

↓
D.
2 AL2

AIN SHAMS UNIVERSITY
FACULTY OF ENGINEERING

SCIENTIFIC BULLETIN

EDITORIAL BOARD

- 1- Prof. Mohamed Abdel-Hamid Sheirah (Chief Editor)
- 2- Prof. Ali Mohamed Talaat (Co_Editor)
- 3- Prof. Mohamed El-Niazi Hamad
- 4- Prof. Salah El-Din Mohamed El-Mahdy
- 5- Prof. Saad Kamel Massoud
- 6- Prof. Ali Kamel El-Kharashi
- 7- Prof. Abdel-Hady Hosny Hassan
- 8- Prof. Mohamed Zaki Hawas

Prices Per Volume excluding mail postage:

Individuals:	Egypt	Overseas
Authors	20 LE	20 US \$
Non-Authors	35 LE	35 US \$
Societies:	90 LE	90 US \$



Faculty of Engineering
Post Office 11517, Abbassia
Cairo, Egypt

Tel : (202)2826636/7
Telex : 94070 USHAMS U
Fax : (202) 285-0617

GUIDE FOR THE PREPARATION OF MANUSCRIPTS TO PROSPECTIVE AUTHORS FOR THE SCIENTIFIC BULLETIN

A- OBJECTIVES

The Bulletin aims at the development of knowledge in the field of engineering, technology and related sciences. All innovative, valuable and useful articles as research or review papers or reports will be regarded. In order to guarantee the highest possible standard, the received articles are rigorously refereed. However, articles that have been published before or which were submitted for publication in another magazine will not be considered.

B- GUIDELINES

1. **Language** : English or Arabic
2. **Typescript** : The complete paper should be camera-ready, laser-typed, single-sided with double-line spacing, five-space paragraph indentation, on standard A4 size paper. The Times New Roman is the preferred font for use. 25 mm margin is to be left on the four sides of the page.
3. **Number of copies** : For the purposes of refereeing and editing, the original and three copies of the paper are required. The referees will receive unidentified copies.
4. **Length** : The fee will account for a maximum of 15 pages. Additional pages are charged as per page. All pages must be numbered.

C- CONTENTS

The first page of the article should include :

- A title consisting of a maximum of 10 words in bold capital letters (18 pt font) and centered.
- The authors names (14 pt font) followed by their affiliations and present addresses should be centered under the title.
- Indexing terms (12 pt font) containing a maximum of six key words indicating the area of the paper.

Table of Contents

- An abstract of not more than 100 words (14 pt font) in the same language of the text to give the summary of the main contents of the paper. This should give a clear and concise view of the state-of-the-art and motivation of the subject, an outline of the paper and its contribution. The abstract should not include any references.
- A translation in the other language.
The following pages should include :
 - A list of the used symbols, acronyms, etc.
 - An introduction explaining the nature of the study, previous work, purpose and contribution of the paper
 - The text of the article suitably itemized.
 - Conclusions indicating advantages, limitations and possible applications.
 - Mathematical equations typewritten leaving double-spaces on either side and using the SI units.
 - Drawing computer- designed made using India ink on transparent or white paper. Lettering must be typewritten or written by template.
 - Tables should be typewritten in serial with clear headlines and should not be a repetition of any information that has appeared somewhere else in the article

PART I

Architecture and Civil Engineering

	Page
1. Optimum Design of Steel Frames, and Plastic Design Check Moustafa M. Zidan, Abd El-Salam A. Mokhtar, Mohamed N. Fayed & Ayman Refaal.....	1
2. State-of-The-Art of Steel Bridges in Europe Hussein Abbas, Hassan H. Abbas.....	27
3. Influence of Polypropylene Fibers on The Drying Shrinkage of RC Slabs Subjected to Hot-Dry Field Conditions Saleh. H. Alsayed & Abdulrahman, M. Alhozaimy.....	45
4. Plastic Analysis of Composite Beams with Multiple Rectangular Eccentric Web Openings Ahmed Badr and A. Y. Kamel.....	59
5. Formulation of A Beam Element with A Rectangular Web Opening Mohamed El- Aghoury.....	75
6. Reinforced Rectangular Hollow Section For k-Joints Mohamed El- Aghoury.....	83
7. Evaluation and Testing of Some Regional Models for Atmospheric Refraction Effect on Precise Leveling in Egypt M.M. Zaher, S. A. Soliman.....	93
8. Estimation of Hydraulic Characteristics of Arriyadh Aquifer Using A Numerical Model Abdulaziz A. Al-Othman, and Abdel-Aziz M. Negm.....	103
9. Improving Navigation in River Bends By Bottom Vanes A. F. Ahmed.....	115
10. Effect Of Cross Currents On Navigation Fathy El-Gamal.....	129
11. Model Study For The Emergency Tushka Canal A. F. Ahmed.....	147

PART II

Electrical and Mechanical Engineering, Physics and Mathematics

12. An Intelligent Helicopter Detection System Dr. Moustafa Elshafei Altmed.....	161
13. Radiation Pattern Control of Circular Microstrip Patch Antennas on Cylindrical Structures O.S. Fares, A. A. Mitkees, & H. A. El-Mikati.....	175
14. Scattering From Dielectric Bodies of Revolution Kadry I. Montasser, Abdel-Hadi Ammar, El-Hilali M. A. Eid, Esam A. El-Diwani, & Hani E. Abdel-Raouf.....	187
15. A New Technique For Nonuniform Sampling of Signals Dr. Mohamed H. El-Shafcy.....	213
16. A Probabilistic Model For Performance Evaluation Of P-Persistent CSMA/CD Local Area Networks Sayed Abd El-hadi Nouh.....	221
17. Image Restoration Using FFN And Gradient Adaptive Learning Rate Algorithm Adel Yehia Ezzat Atta, Hani M. Haarb.....	237
18. Call Path Profiling of Programs with Parallelism Salma Abdel-Kader Ghoneim.....	253
19. A Simple Generational Real-time Garbage Collection Scheme Khayri A. M. Ali.....	275
20. Tow-Phase Disc Motor in Control Applications A. B. Koib.....	297
21. A Closed Form Formula for the Manufacturing Lead Time of Multi-Product Flow	315